



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/973,045	10/10/2001	Yoon-Jick Lee	Q64313	5064

7590 03/30/2004
SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC
Suite 800
2100 Pennsylvania Avenue, N.W.
Washington, DC 20037-3213

EXAMINER

NGUYEN, JOSEPH D

ART UNIT	PAPER NUMBER
----------	--------------

2683

DATE MAILED: 03/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/973,045

Applicant(s)

LEE, YOON-JICK

Examiner

Joseph D Nguyen

Art Unit

2683

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 October 2001.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10 October 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>3/10/27/03</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

2. Claims 1-11, 14-15, and 17-21 are rejected under 35 U.S.C. 102(a) as being anticipated by Sakurai et al.

Regarding claim 1, Sakurai et al. discloses a system for providing an exhibition information (facsimile information) service through wireless communication, comprising (abstract, fig. 1-6):

a) wireless connection devices for preparing for connection to a wireless terminal in a service region, and outputting information related to the wireless terminal through a network (abstract, fig. 1-8, col. 4 line 10 thru col. 6 line); and

b) an exhibition information (facsimile information) server (#2 fig. 1) (Since database server is used to store different kinds of information to serve the mobile device which means, it is inherently also can content exhibition information) for inputting the information output by the network and processing an information service corresponding to the information input from the network (abstract, fig. 1-10, col. 4 line 49 thru col. 5 line 44).

Regarding claim 2, Sakurai et al. further discloses the system according to claim 1, wherein each of the wireless connection devices respectively comprise:

a) a wire communication processing unit for transmitting a signal from the wireless terminal to the exhibition information (facsimile information) server through the network (abstract, fig. 1-6, col. 8 lines 1-26), and receiving data from the exhibition information server through the network (abstract, fig. 1-7); and

b) a wireless communication processing unit (#113 fig. 5) for receiving the signal from the wireless terminal, and transmitting the data through air according to a data transmission request signal output from the exhibition information server through the network and received in the wire communication processing unit (abstract, fig. 1-7, col. 6 lines 14-36).

Regarding claim 3, Sakurai et al. further discloses the system according to claim 2, wherein said each of the wireless connection devices further comprise a control unit for setting up an address for connection and communicating with the wireless terminal, when receiving a connection request signal from the wireless terminal, and for controlling the connection or disconnection of the wireless terminal (abstract, #121 fig. 5, col. 6 lines 29-36, col. 18 line 7 thru col. 19 line 9, col. 27 line 61 thru col. 28 line 50, and col. 38 line 34 thru col. 39 line 17).

Regarding claim 4, Sakurai et al. further discloses the system according to claim 3, wherein said each of the wireless connection devices further comprise a data converting unit for converting the signal from the wireless terminal into data which can be transmitted through the network, and also converting data from the exhibition

Art Unit: 2683

information server into data which can be transmitted through air (abstract, fig. 1-10, col. 20 line 47 thru col. 21 line 22).

Regarding claim 5, Sakurai et al. further discloses the system according to claim 1, wherein the exhibition information (facsimile information) server comprises:

a) an interface processing unit (#1 and #6, fig. 1-2) for performing a communication between the wireless terminal and at least one of the wireless connection devices according to the information related to the wireless terminal output through the network;

b) a connection/disconnection processing unit for reading the data processed in the interface processing unit, and enabling the wireless connection devices to set up the connection or disconnection to/from the wireless terminal (#121 fig. 5, fig. 1-2, col. 18 line 7 thru col. 19 line 9, and col. 27 line 61 thru col. 28 line 50);

c) an exhibition menu (information menu (list)) providing unit for providing data including an exhibition information (facsimile information) menu so that the wireless terminal connected to said at least one of the wireless connection devices can read information about the exhibits, when the connection setup is processed by the connection/disconnection processing unit (abstract, fig. 1-7, col. 5 lines 10-21, and col. 17 lines 41-50); and

d) an input/output data processing unit for receiving data from said at least one of the wireless connection devices, and outputting information corresponding to the menu selection signal from the wireless terminal according to the output data from the

Art Unit: 2683

exhibition menu providing unit (abstract, fig. 1-7, col. 5 lines 10-21, and col. 17 lines 41-50).

Regarding claim 6, Sakurai et al. further discloses the system according to claim 5, wherein the exhibition information (facsimile information) server further comprises an exhibition database for storing information related to the exhibits in order to provide the exhibition information of the exhibits (abstract, fig. 1-7, col. 5 lines 52-63).

Regarding claim 7, Sakurai et al. further discloses the system according to claim 6, wherein the exhibition information server further comprises a wireless connection device database for storing position information of the wireless connection device connected to the wireless terminal, and data related to one of the exhibits, which the wireless terminal selects in order to read the exhibition information (abstract, fig. 1-8, and col. 4 line 42 thru col. 6 line 65).

Regarding claim 8, Sakurai et al. further discloses the system according to claim 7, wherein the exhibition information server further comprises a wireless connection information database for storing the information of the wireless terminal connected to the wireless connection device (abstract, fig. 1-2, and col. 4 line 42 thru col. 6 line 65).

Regarding claim 9, Sakurai et al. discloses a method for providing an exhibition information (facsimile information) service through wireless communication (abstract, fig. 1-8), comprising:

a) a wireless connection step for preparing for connection to a wireless terminal in a service region, and outputting information related to the wireless terminal through a network (abstract, fig. 1-8, col. 4 line 10 thru col. 6 line 65); and

Art Unit: 2683

b) an exhibition information service step for inputting the information output by the network and processing an information service corresponding to the information input from the network (abstract, fig. 1-8, col. 4 line 10 thru col. 6 line 65).

Regarding claim 10, Sakurai et al. further discloses the method according to claim 9, wherein the wireless connection step comprises the steps of:

a) judging whether a connection request signal is received from the wireless terminal (col. 23 lines 8-50);

b) transmitting a connection command signal between a wireless connection device and the wireless terminal (fig. 1-8, col. 23 lines 8-50); and

c) providing initial screen data including an exhibition information menu, to the wireless terminal (fig. 8, col. 23 lines 8-50).

Regarding claim 11, Sakurai et al. further discloses the method according to claim 10, wherein the exhibition information service step comprises the steps of:

a) judging whether a selection signal for a specific exhibit is received from the wireless terminal according to the initial screen data (fig. 8, 19, col. 23 lines 8-50); and

b) providing exhibition information of the exhibit corresponding to the selection signal (col. 23 lines 8-50).

Regarding claim 14, Sakurai et al. further discloses the method according to claim 11, wherein the step of providing the exhibition information of the selected exhibit comprises the steps of:

a) confirming (determine) a connection state between the wireless terminal and the wireless connection device for providing the exhibition information service (col. 11 line 43 thru col. 12 line 14); and

b) providing the exhibition information (facsimile information) for the selected exhibit according to the confirmed information (fig. 6-8, col. 22 lines 22-58).

Regarding claim 15, Sakurai further discloses the method according to claim 14, wherein the step of confirming the wireless connection device for providing the exhibition information (facsimile information) service, comprises the steps of:

a) detecting a position of the wireless connection device connected to the wireless terminal, and a position of the exhibit selected by the wireless terminal (fig. 1, col. 43 thru col. 12 line 56, and col. 22 line 51 thru col. 23 line 60); and

b) judging whether the detected wireless connection device is set up to provide the exhibition information service for the selected exhibit to the wireless terminal (col. 23 lines 36-60, and col. 24 lines 45-54).

Regarding claim 17, Sakurai et al. further discloses the method according to claim 14, wherein the step for providing the exhibition information of the selected exhibit comprises the steps of:

a) providing a detailed menu corresponding to the exhibition information of the selected exhibit according to the selection signal (fig. 6-8); and

b) providing detailed information related to the selected exhibit according to the selection signal of the detailed menu (fig. 8).

Art Unit: 2683

Regarding claim 18, Sakurai et al. discloses a method for providing an exhibition information service through wireless communication (abstract, fig. 1-8), comprising the steps of:

a) preparing for connection for wireless communication with a wireless terminal in a service region (abstract, fig. 1-2, col. 4 line 10 thru col. 8 line 67, and col. 11 line 31 thru col. 12 line 34);

b) wireless-connecting to the wireless terminal according to a connection signal (abstract, fig. 1-2); and

c) transmitting an initial screen to provide the exhibition information service to the wireless terminal (fig. 7-8, col. 17 line 41 thru col. 18 line 57).

Regarding claim 19, Sakurai et al. further discloses the method according to claim 18, further comprising a step of providing the exhibition information service according to a selection signal of the initial screen from the wireless terminal (fig. 7-8, col. 20 lines 14-45).

Regarding claim 20, Sakurai et al. discloses a method for providing an exhibition information service through wireless communication (abstract), comprising the steps of:

a) preparing for connection for wireless communication with a wireless connection device in a service region (abstract, fig. 1-2, col. 4 line 10 thru col. 8 line 67, and col. 11 line 31 thru col. 12 line 34); and

b) receiving an initial screen from the wireless connection device in order to read exhibition information (fig. 7-8, col. 17 lines 41-58).

Regarding claim 21, Sakurai et al. further discloses the method according to claim 20, further comprising the steps of:

- a) selecting a menu in the initial screen in order to request the exhibition information service (abstract, fig. 6-8, col. 5 line 10 thru col. 6 line 65); and
- b) receiving information corresponding to the menu selected by the wireless terminal (abstract, fig. 6-8).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sakurai et al. (6,600,930).

Regarding claim 16, Sakurai et al. further discloses the method according to claim 15, further comprising the steps of:

- a) transmitting a disconnection command signal from the wireless terminal to the wireless connection device, when the detected wireless connection device cannot provide the exhibition information service (col. 27 line 61 thru col. 28 line 59); and
- b) connecting the wireless terminal disconnected from the wireless connection device according to the disconnection command, to another wireless connection device that is set up to provide the exhibition information service, and providing the exhibition

Art Unit: 2683

information service according to the selection signal (When a user of the terminal performs an operation for calling specifying a party according to the established communication system, the server receives send information including a request for calling and executes processing for information communication suitable for the established communication system) (abstract, fig. 1-5). However, Sakurai et al. does not specifically disclose the wireless terminal transmitting a disconnection command signal when the detected wireless connection device cannot provide the exhibition information service, and connecting the wireless terminal disconnected from the wireless connection device according to the disconnection command, to another wireless connection device that is set up to provide the exhibition information service, and providing the exhibition information service according to the selection signal. But it would have been obvious to one skilled in the art that, the user of the wireless terminal have to make the decision to transmit the disconnection command and connect request to new wireless connection device that suitable to receive information when he/she detected the connection is not correct for receiving the information.

5. Claims 12-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakurai et al. (6,600,930) in view of Albuquerk et al. (5,929,848).

Regarding claim 12, Sakurai et al. further discloses the method according to claim 11. However, Sakurai et al. does not specifically disclose wherein, when the exhibition information relates to an art object, the exhibition information comprises explanations of the selected art object and information related to the artist thereof.

Art Unit: 2683

Albukerk et al. teaches the exhibition information relates to an art object, the exhibition information comprises explanations of the selected art object and information related to the artist thereof (abstract, fig. 3-5, col.8 line 56 thru col. 10 line 52).

Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify the Sakurai et al. system with the teaching of Albukerk et al. in order to provide the customer with the information related to the exhibition of art.

Regarding claim 13, Albukerk et al. further discloses the method according to claim 12, wherein the explanations of the art object comprise at least one of a genre, constitution, representation technique, production process, appreciation method and appreciation article (fig. 2-4). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify the Sakurai et al. system with the teaching of Albukerk et al. in order to provide the customer with the detail information related to the exhibition of art.

6. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Or faxed to:

703 308-9051, (for formal communication intended for entry)

Or:

(703) 305-9509 (for informal or draft communications, please label

"PROPOSED" OR "DRAFT")

Art Unit: 2683

Hand-delivered responses should be brought to Crystal Park II, 2121

Crystal Drive, Arlington, VA. Sixth floor (Receptionist).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph D Nguyen whose telephone number is (703) 605-1301. The examiner can normally be reached on 7:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost can be reached on (703) 308-5318. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9314 for regular communications and (703) 872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 306-0377.

Joseph Nguyen



Mar. 23, 2004



WILLIAM TROST
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600